

Quality Indicator Crosswalk

Quality Indicator	I/P*	MDS ITEMS
New Fractures	I	J4c, J4d
Falls	P	J4a
Behavior	P	E4b(A), E4c(A), E4d(A), E2
Depression	P	E2, E1a,g,j,n,o,p, E4e(A), N1a-d, B1, K3a
Depression W/O Treatment	P	O4c
Use of 9 or More Medications	I	O1
Cognitive Impairment	I	B4 + B2a
Bladder/Bowel Incontinence	P	H1a, H1b, H3d, H3i, B1
B/B Incontinence w/ no toileting plan	P	H1a, H1b, H3a, H3b
Catheters	P	H3d
Fecal Impaction	P	H2d
UTI	P	I2j
Weight Loss	P	K3a
Tube Feeding	P	K5b
Dehydration	P	J1c, I3
Bedfast	P	G6a
Decline in Late Loss ADL's	P	G1a,b,h,i, G1a-j(A), B1
Decline in ROM	I	G4a-f
Antipsychotic Meds W/O Condition	P	O4a, I3, I1gg, J1i
Antianxiety/Hypnotic Drug Use	P	O4b,d, I3, I1gg, J1i
Hypnotics Use > 2 Times Last Week	P	O4d
Daily Restraints	P	P4c,d,e
Little or No Activity	P	N2, B1
Stage 1-4 Pressure Sores	P	M2a, I3

* I = Incidence P = Prevalence

This data was compiled from the Facility Guide for Nursing Home Quality Indicators (9/1999) which can be found in the "RAI/MDS/QI Manual" section of the State MDS Bulletin Page